



Package number

INGLUND 3.8X3.2


Manual




A




B



C








D







Inglund (3.8x3.2) LIST 45 mm



Pos	Size, mm h x b x l			Quantity		Destination
3	45	67.5	3800	1		Wall B
3a	45	67.5	1085	2		Wall A
4	45	135	3800	14		Wall B
5	45	135	340	28		Wall A
5a	45	135	325	28		Wall A
6	45	135	3200	19		Wall C, D
6a	45	135	1165	8		Wall D
7	45	135	3552	1		Wall C
7a	45	135	3904	1		Wall C
7b	45	135	4256	2		Wall C, D
7c	45	135	4700	2+1		Wall C, D
7d	45	135	1517	1		Wall D
7e	45	135	1869	1		Wall D
8	45	675	3800	2		Vault
9	45	140	4700	1		Rafter
9a	45	140	4700	4		Rafter
10	16	90	2154	106		Roof board
11	16	90	2206	4		Wind board
11a	16	65	2226	4		Wind board
12	16	65	2350	4		Roof board
13				2		Diamond
14	16	65	810	2		Window strip
15	16	65	665	4		Window strip
15a	16	90	1050	2		Window strip
14.1	16	65	370	4		Window strip
15.1	16	65	1890	8		Window strip
15a.1	16	90	550	4		Window strip
16	16	65	1890	4		Door strip
16a	16	90	1760	2		Door strip
18				2		Window
18a				1		Window
19				1		Door



















The guide is illustrative. This guide is not project specification.




Door assembly






1.




2.




3.




4.




5.





6.








7.






9.





Cut pos 16 if too long



Window

Normal ca 25 mm
min-max ca 5-90 mm

Door

Normal - ca 40 mm;
min - ca 5 mm;
max - ca 90 mm

